




Edging

Edging

Our garden edging makes it easy to create borders, gravel paths and lawn edges in any garden. This versatile product has many uses. Combine it with other elements made from the same material to create a cohesive garden look.



Material corten steel



Our edging can be used in many ways, for example, to create neat lawns or gravel paths. We have several edging options: straight, set and folded. 2 and 3 mm straight edging and 3 mm folded edging is flexible and can be curved. For larger projects, this edging can also be custom made.

Corten steel has an orange-brown colour, the result of a natural rust layer. Another name for corten steel is weathering steel: weather conditions have a positive effect on this material.

Corten steel is a metal alloy made by adding copper, phosphorus, silicon, nickel and chromium to iron. When exposed to air, the material forms a protective layer of rust. This natural coating prevents further corrosion, so the edging will last for many years.

SPECIFICATIONS

- 5-year warranty.
- Corten steel lawn edging is hard-wearing, weatherproof, low-maintenance and durable.
- The corten steel has a standard thickness of 2 or 3 mm.
- Our edging is available in six heights: 70, 100, 150, 200, 290, and 390 mm.
- Each edging strip has a length of 2300 mm.
- Edging is supplied in packs of 10, 20 or 40 strips.
- Products are delivered without rust. The corten steel rusting process takes about 4-5 months, depending on weather conditions.


KEY POINTS TO NOTE

- Products should be unpacked immediately upon receipt to release any moisture trapped inside the packaging. If the product is left in its packaging, it may develop uneven rust patches.
- We do not recommend using corten steel within 2 km of a coastline.
- The weathering process may cause rust run-off.
- Clean annually by hosing off dirt with clean tap water.

Placement


SCREWS

1. Place hardwood pegs to determine the shape of the edging.
2. As additional, the edging can be ordered with pre-drilled holes so the pegs are easy to screw on. Screws are therefore included.
3. Head size of the hardwood pegs is 50x50 mm. Pegs can be ordered in different heights of 400, 600 and 800 mm. The pegs are delivered in packs of 20 pieces. Per strip of 2300mm you need 4 edging pegs.



WELD

1. Place corten steel pegs to determine the shape of the edging
2. Weld the corten steel edging in a flowing shape to the pegs.
3. Head size of the corten steel pegs is 30x30 mm and have a height of 600 mm. The pegs are delivered in packs of 20 pieces. Per strip of 2300mm you need 4 edging pegs.



WELD / SCREW

1. Place corten steel roof support to determine the shape of the edging.
2. Weld or screw the corten steel edging in a flowing shape to the roof support. (Screws or rivets are not provided by us). Per strip of 2300mm you need 4 edging pegs.

Note! Roof supports can only be used in combination with 2 and 3 mm thick edging.

