





Parcel letterboxes



Material corten steel



The CorTen steel letterbox has a warm look, thanks to the orange-brown patina on the metal. This patina is formed by a natural layer of rust. Another name for CorTen steel is weathering steel: weather conditions have a positive effect on this material.

CorTen steel is a metal alloy made by adding copper, phosphorus, silicon, nickel and chromium to steel. When exposed to air, the material forms a protective layer of rust. This natural coating prevents further corrosion and makes the letterbox long-lasting.

SPECIFICATIONS

- 5-year guarantee.
- CorTen steel letterboxes are very robust, hard-wearing, weatherproof, low-maintenance and durable.
- The letterbox has a soft-open feature and an anti-theft system.
- Includes a lock with 2 keys.
- Products are delivered without rust. The CorTen steel rusting process takes about 4-5 months, depending on weather conditions.
- The rust can be fixed by applying Owatrol. This is a penetrating rust inhibitor that forms a protective anti-rust coating. Owatrol protects the product and stops the rust on corten steel flaking off.

KEY POINTS TO NOTE


- Products should be unpacked immediately upon receipt to release any moisture trapped inside the packaging. If the product is left in its packaging, it may develop uneven rust patches.
- We do not recommend using CorTen steel within 2 km of a coastline.
- The weathering process may cause rust run-off.
- The guarantee expires if you drill or grind in a way that is not specified.
- Clean annually by spraying with tap water to remove dirt and debris.

OPTIONAL

- We also supply house numbers and letters.

Installation

1. Provide a flat (vibrated), solid surface. If not done carefully, it may result in damage to the product.
2. Mark the position of the holes at the bottom of the parcel box and drill holes in the pavement.



3. Place the parcel box on the flat pavement so the holes in the box can line up with the drilled holes.
Because the parcel box can be placed on the pavement, the box can be placed anywhere without having to dig. It is also possible to place the parcel box below ground level so the mounting lips of the box disappear below ground level.

4. Then fix the parcel box to the pavement with plugs or possibly a chemical anchor

Note! First loosely tighten all the bolts, after which they can be tightened fully one by one.

